



GARD

Unparalleled Protection

High Resistance Grounding Data Requisition Sheet:

Customer: _____ Date: _____

Address: _____

City: _____ Province/State: _____ Country: _____

Phone: _____ Fax: _____

E-mail: _____

I. Standard HRG Requirements:

System Type: Wye _____ Delta _____

System Voltage: 480V _____ 600V _____ 2400V _____ 4160V _____ Other _____

Ground Fault Current: 5A _____ 10A _____

Pulsing Circuit: 2.5A- 5A _____ 5A- 10A _____

Certification: CSA _____ UL _____ OSHPD _____ Seismic Rated _____

Enclosure Type: OEM Kit _____ NEMA 1 _____ NEMA 3 _____ NEMA 3R _____

Standard Options: Test Resistor _____ Heater _____ Horn _____ Other _____

Portable Detector Length: 24" _____ 48" _____

Control Power: Customer Supplied 120V AC (Standard) _____ Other _____

Factory Authorized Start-Up and Commissioning: _____

II. Advanced HRG Functionality:

Switchgear Configuration: Single Main _____ M-T-M _____

Fail Safe Grounding Circuit _____ Resistor Monitoring Relay _____ Data Logging _____ 2nd Fault Protection _____

Feeder Monitoring and Control: # of Critical Feeders _____

Current Sensor Sizes/ Quantity: Torodial 2" _____ 3" _____ 6" _____ 9" _____
 Rectangular 4x17 _____ 7x13 _____ 7x26 _____

Communication: Modbus (standard) _____ Other _____

Arc Flash Protection: Pressure Sensor _____ Quantity _____
 Optical Point Sensors _____ Quantity _____